

Re-roofing and the 2022 California Energy Code Compliance Requirements for Cool Roof

(Important information you need to know before obtaining a re-roof permit)

For **non-residential** re-roofing projects when more than 50% of the roof area or more than 2,000 square feet of roof, whichever is less, is being replaced, the roofing product must meet the requirements for a cool roof, see below. For **low-rise residential** roofs, when more than 50% of the exterior surface is being replaced, the roofing product must meet the requirements for a cool roof, see below. Roof area covered by building integrated photovoltaic and/or solar thermal panels is not required to comply with cool roof requirements. Roof areas not covered by photovoltaic or solar thermal panels shall comply with cool roofing requirements.

Within the City of Sacramento & climate zone 12			
		Low-Rise Residential	Non-Residential
Low Sloped Roofs < 2:12	Aged solar Reflectance	N/R	.63 Or SRI of 75
	Thermal Emittance	N/R	.75 Or SRI of 75
Steep Sloped Roofs ≥ 2:12	Aged solar Reflectance	.20 Or SRI of 16	.20 Or SRI of 16
	Thermal Emittance	.75 Or SRI of 16	.75 Or SRI of 16

Exceptions and Alternatives which may apply to **low-rise residential** re-roof projects with a roof slope equal to or greater than 2:12 (steep slope roofs):

- Mass roof 25 lbs. or greater (uncommon situation such as sod roof);
- Air space 1 inch from top of roof deck to bottom of roofing;
- Roofing product has a profile ratio of raise to width of 1 to 5 for 50% or greater of the width of the roofing product;
- Existing ducts in the attic are insulated and sealed according to Section 150.1(c)9;
- Roof has at least R-38 ceiling insulation;
- Roof has a radiant barrier meeting the requirements of Section 150.1(c)2;
- Buildings that have no ducts in the attic;
- R-2 insulation or greater above the roof deck

A Certificate of Compliance Energy form CF1R-ALT-05-E must be completed as applicable to a re-roof project and submitted with the permit applications. Please see the user instructions in form CF1R-ALT-05-E and the form must be signed by the Document author and the Building Designer (i.e., the contractor or homeowner).

At final inspection an Installation Certificate form CF2R-ALT-05-E must be completed by the installing contractor and submitted to the owner and reviewed by the building inspector.

Roofing products that are used for compliance with the energy standards are required to be tested and labeled by the Cool Roof Rating Council (CRRC). The roofing products manufacturer must have its roofing product tested for solar reflectance and thermal emittance and be listed in the CRRC's Rated Product Directory (www.coolroofs.org) and be labeled according to the CRRC procedures.

Attached you will find the CF1R-ALT-05-E short form. For more information you can visit the California Energy Commission website at <https://www.energy.ca.gov/>

CERTIFICATE OF COMPLIANCE FOR REROOFS **CF1R-ALT-05-E (short form)**

Prescriptive Low-Rise Residential Alterations
 Project Name: _____ Date Prepared: _____

GENERAL INFORMATION			
01	Project Name:		
			02
03	Project Location:		04
05	CA City:		06
07	Zip Code:		08
09	Climate Zone		10
11	Building Type:		12
13	Project Scope:		

ROOF REPLACEMENT (Prescriptive Alteration, Section 150.2(b)1)

01	02	03	04	05	06	07	08	09	10	11	12	13
Method of Compliance	Roof Pitch	Exception (see below for code)	CRRC Product ID Number	Product Type	R-value Deck Insulation	Proposed				Minimum Required		
						Initial Solar Reflectance	Aged Solar Reflectance	Thermal Emittance	SRI (Optional)	Aged Solar Reflectance	Thermal Emittance	SRI (Optional)

NOTES

- Roof area covered by building integrated photovoltaic panels and solar thermal panels are exempt from the above Cool Roof requirements.
- Liquid field applied coatings must comply with installation criteria from section 110.8(i)4.

Exceptions and Alternatives for Section 3 of Roof Replacement

- (a) Mass roof 25 lbs. or greater (uncommon situation such as sod roof);
- (b) Air space 1 inch from top of roof deck to bottom of roofing;
- (c) Roofing product has a profile ratio of raise to width of 1 to 5 for 50% or greater of the width of the roofing product;
- (d) Existing ducts in the attic are insulated and sealed according to Section 150.1(c)9;
- (e) Roof has at least R-38 ceiling insulation;
- (f) Roof has a radiant barrier meeting the requirements of Section 150.1(c)2;
- (g) Buildings that have no ducts in the attic;
- (h) R-2 insulation or greater above the roof deck

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT

I certify that this Certificate of Compliance documentation is accurate and complete.

Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/HERS Certification Identification (if applicable):
City/State/Zip:	Phone:

RESPONSIBLE PERSON'S DECLARATION STATEMENT

I certify the following under penalty of perjury, under the laws of the State of California:

1. The information provided on this Certificate of Compliance is true and correct.
2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system identified on this Certificate of Compliance (responsible designer).
3. That the energy features and performance specifications, materials, components, and manufactured devices for the building design or System design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
4. The building design features, or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
5. I will ensure that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.

Responsible Designer Name:	Responsible Designer Signature:
Company:	Date Signed:
Address:	License:
City/State/Zip:	Phone:

For assistance or questions regarding the Energy Standards, contact the Energy Hotline at: 1-800-772-3300