



# CITY OF SACRAMENTO

PROCUREMENT SERVICES DIVISION

**FILED**

SEP 12 2007

By The  
Office of The City Clerk

**ORIGINAL**

**Bid Number: B081181010**

**INVITATION FOR BID  
And  
Contract Specifications**

**ORIGINAL**

**FOR: Liquefied Natural Gas (LNG) Delivery Truck**

**Bids Must Be Received Prior To 2:00 P.M. on September 12, 2007**

**Bids Must Be Submitted To:** City Clerk's Office  
915 "I" Street, First Floor  
Sacramento, CA 95814

Pre-Bid Conference: Not Applicable  
Mandatory: [ ] Yes  
                  [ ] No

**NAME AND ADDRESS OF BIDDER SUBMITTING THIS BID:  
(Bidder to complete the following information)**

Name of Bidder: RIVERVIEW INTERNATIONAL TRUCKS

Address: 2445 EVERGREEN AVE

City, State, Zip Code: WEST SACRAMENTO, CA 95691

Phone Number: 916-371-3110

Email Address: PATSO.RIVERVIEW-TRUCKS.COM

**PRICING SCHEDULE**

For furnishing to the City of Sacramento, one new, unused, latest model year, Liquefied Natural Gas (LNG) fuel delivery truck in accordance with the provisions and specifications contained herein. **Bids must be submitted in U.S. dollars.**

<u>Item No</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
1	1	LNG Delivery Truck	\$ _____	\$ <u>406,038.11</u>

INTERNATIONAL 7400 WORKSTAR  
Proposed Manufacturer and Model for Chassis

CHART HL-3500SC-175-ORCA  
Proposed Manufacturer and Model  
for truck mounted LNG Delivery System

7.75% sales tax \$ 31,335.27  
CA Tire Tax \$ 17.50  
**Bid Total** \$ 437,390.88

OPTION

CHART INC. (THE BODY COMPANY) HAS STATED A 14,000 LB. AXLE + FRONT SPRING ASSEMBLY IS MORE THAN SUFFICIENT ON THIS APPLICATION. I HAVE INCLUDED AN OPTION BID WITH THIS SPECIFICATION AND OTHER CHANGES FROM THIS INFORMATION.

SALE PRICE	\$ 403,420.56
TAX	31,132.41
TIRES	17.50
<b>TOTAL</b>	<b>\$ 434,552.97</b>

BID

BID NO B081181010

FOR SERVICES/SUPPLIES: LNG Delivery Truck

To the City of Sacramento:

The undersigned bidder (hereafter referred to as the "bidder" or the "Contractor") submits the attached bid, and certifies as follows: that the only persons or parties interested in this bid as principals are those named herein as bidder; that this bid is made without collusion with any other person, firm, or corporation; that in submitting this bid the bidder has examined all of the Contract Documents identified below; that the bidder proposes and agrees that if this bid is accepted, the bidder will execute and fully perform the contract for which bids are called; that the bidder shall perform all the work and/or furnish all the materials specified in the Contract Documents, in the manner and time therein prescribed, and according to the requirements as therein set forth; and that the bidder shall take in full payment, therefore, the prices set forth in the attached Pricing Schedule.

CONTRACT DOCUMENTS

Performance of and payment for the contract for which bids are called shall be subject to all terms and conditions of the Invitation for Bid, the Bid Instructions and Requirements, the Bid, the Pricing Schedule(s), the Items Requiring Bidder Response, the Required Submittals, the General Conditions, and any Addenda, Amendments, Special Provisions, Specifications, Plans or other requirements applicable to performance of the work and/or furnishing the materials specified herein. Such documents, referred to herein as the "Contract Documents," are fully incorporated herein by this reference and are collectively referred to as the "Contract". By submitting this Bid, the Contractor agrees to fully perform each and every provision of the Contract, provided that City awards the Contract to the Contractor, and provided further that City shall have no obligation hereunder unless and until such award is made. Contractor shall not make any changes to this form without City's written approval, and any changes made without such approval shall be void.

To Be Filled Out By Bidder

NAME OF CONTRACTOR: RIVERVIEW INTERNATIONAL TRUCKS  
ADDRESS: 2445 EVERGREEN AVE, WEST SACRAMENTO, CA 95691  
PHONE #: 916-371-3110 FAX #: 916-372-8541  
STATE TAX I.D. #: 28715354 FED. TAX I.D. #: 94-2750897  
City of Sacramento Business Operation Tax Certificate #: 83087  
(Contract award will not be processed if Certificate Number is missing)

TYPE OF BUSINESS ENTITY (check one):  Individual/Sole Proprietor  Partnership  
 Corporation  Limited Liability Company  
 Other (please specify: \_\_\_\_\_)

BY: (signature of authorized person) PAT SAWYER  
PRINT NAME: PAT SAWYER  
TITLE: TRUCK SALES REPRESENTATIVE

Note: All information submitted in or in connection with a bid is submitted under penalty of perjury. The City shall have the right to terminate at any time any contract awarded pursuant to a bid that contains false information.

**ITEMS REQUIRING BIDDER RESPONSE**

**NOTE: Bidders must provide responses where indicated to the following items. Failure to provide a response to each of the items in this section may be grounds for rejection of bid.**

**1. SBE/EBE FIVE PERCENT (5%) BID EVALUATION PREFERENCE**

On February 9, 1999, the Sacramento City Council adopted an Emerging and Small Business Development program to provide enhanced opportunities for the participation of small business enterprises (SBEs) and emerging business enterprises (EBEs) in the City's contracting and procurement activities. Any bid or quotation submitted by a firm that is certified as a SBE by the City of Sacramento, or that is certified as an EBE by the City of Sacramento, will receive a five percent (5%) bid evaluation preference for the purpose of determining the lowest responsible bidder. If, after applying the 5% bid evaluation preference, the bid of an SBE/EBE firm receiving such preference is determined to be the lowest responsible bid, the award will be made for the actual amount bid. To receive this bid evaluation preference, a firm must be certified as a SBE or EBE at the time of bid opening. Questions regarding eligibility for SBE/EBE certification should be addressed to the City of Sacramento Office of Small Business Development at (916) 808-6747.

**A. SMALL BUSINESS ENTERPRISE (SBE) CERTIFICATION**

Is the firm submitting the bid certified by the City of Sacramento as a small business enterprise? Check the appropriate block below:

- YES - the firm submitting the bid is certified by the City of Sacramento as a small business enterprise.
- NO - the firm submitting the bid is not certified by the City of Sacramento as a small business enterprise.

If the response to the above is YES, provide the City of Sacramento Certification Number

\_\_\_\_\_.

**B. EMERGING BUSINESS ENTERPRISE (EBE) CERTIFICATION**

Is the firm submitting the bid certified by the City of Sacramento as an *emerging* business enterprise? Check the appropriate block below:

- YES - the firm submitting the bid is certified by the City of Sacramento as an emerging business enterprise.
- NO - the firm submitting the bid is not certified by the City of Sacramento as an emerging business enterprise.

If the response to the above is YES, provide the City of Sacramento Certification Number: \_\_\_\_\_.

**2. LOCAL BUSINESS SALES/USE TAX DEDUCTION**

The Sacramento City Code requires the City to identify those bids that are subject to the City's local sales or use tax under the provisions of Part 1.5 of Division 2 of the California Revenue and Taxation Code and Chapter 3.24 of the Sacramento City Code. The lowest responsible bidder shall be determined after the amount of local sales or use tax that would be received by the City is deducted from such bids. The current rate at which such local sales or use tax is received by the City is one percent (1%). Therefore, in evaluating bids to determine the lowest responsible bidder, bids that are subject to this tax at the time of bid opening shall have an amount equal to one percent (1%) of the taxable total deducted from the bids. This deduction shall be in addition to the application of any bid price preferences or other deductions authorized by the City Code. Such deductions shall be made for bid evaluation purposes only. Contract awards shall be made at the actual bid amount.

**BID NO. B081181010**

In order to identify those bids that are subject to the City's local sales or use tax, all bidders shall respond to the following:

- 1) Does the bidder have fixed offices or locally taxable distribution points within the boundaries of the City of Sacramento?  Yes; or  No
- 2) If the answer to Question #1 is "Yes":
  - a) Provide the address of the bidder's fixed offices or locally taxable distribution point(s):

\_\_\_\_\_

\_\_\_\_\_

- b) Provide the bidder's current, valid City of Sacramento Business Operations Tax Certificate Number: \_\_\_\_\_

**3. DELIVERY GUARANTEE**

Contractor guarantees delivery within 230 days after receipt of order (ARO).

**4. PAYMENT DISCOUNT**

Will you offer a prompt payment discount? Yes  or No  (Net 30 days) discount per unit \_\_\_\_\_

If Yes, the Payment Discount is 500<sup>00</sup> for payment within 20 calendar days, which will be computed from the date delivery, is made and is accepted by the City, or the date a proper invoice is received, whichever is later.

PAYMENT DISCOUNTS SHALL BE CONSIDERED IN AWARDING THE CONTRACT AS SET FORTH IN THE "BID INSTRUCTIONS AND REQUIREMENTS", PARAGRAPH 11 (ENTITLED "PAYMENT DISCOUNTS").

**5. MANUFACTURERS SPECIFICATION**

Page 23, Items (a) and (c)

**6. NEAREST FACTORY AUTHORIZED SERVICE CENTER**

Page 25, Warranty, Item (e). Bidders must list the nearest factory authorized service center responsible for warranty and other repairs:

\_\_\_\_\_

**7. AXLES**

Page 29, Section 3.8(b), Meritor RT40-145P rear axle or proposed equal: DANA SPICER DS405/RS405

**8. WHEELS AND TIRES**

Page 31, Section 3.18 (c and d), Goodyear Unisteel G-159 or proposed equal: C-315/80R22.5 HSL (CONTINENTAL)  
D-11R22.5 HSC (CONTINENTAL)

**9. BRAKES**

Page 31, Section 3.19(d), Meritor "Q+" front brakes or proposed equal: AS PER SPEC

Page 31, Section 3.19(e), Meritor "Q+" rear brakes or proposed equal: AS PER SPEC

Page 31, Section 3.19(i), Bendix AD-IS, AD-IP or AD-9 air dryer or proposed equal: AD-9 BENDIX

**10. LIGHTS**

Page 32, Section 3.20(c), Item 1, Trucklite lighting equipment or proposed equal: AS PER SPEC

**11. SEAT**

Page 32, Section 3.23, Bostrom seat with Cordua Plus covering or proposed equal: NATIONAL 2000

**12. MISCELLANEOUS EQUIPMENT**

Page 33, Section 3.25(c), Grote #71422 triangle flare kit or proposed equal : FLEETRITE-TRIKIT 3

Page 33, Section 3.25(e), Grote #28041 convex mirror or proposed equal : LANG MEKRA

Page 34, Section 3.25(t), Flaming River lockable battery shut-off switcher or proposed equal :

POLLACK 51-316 KEY OPERATED-MOUNTED ON BATTERY BOX

**13. PAINT FINISH**

Page 34, Section 3.26(a), Martin Senour #42075 or proposed equal : SIKKENS-BASE COAT / CLEAR COAT

**14. MISCELLANEOUS BODY EQUIPMENT**

Page 36, Section 4.8(b), Grote #64931 sealed beam work lights or proposed equal : AS PER SPEC'S

**15. QUESTIONNAIRE**

Page 37, Complete a separate questionnaire for each chassis proposed.

**16. EQUAL BENEFITS ORDINANCE**

See Exhibit 1

# **EXHIBIT 1**

## **REQUIREMENTS FOR THE NON-DISCRIMINATION IN EMPLOYEE BENEFITS BY CITY CONTRACTORS ORDINANCE**

### **INTRODUCTION**

The Sacramento Non-Discrimination In Employee Benefits By City Contractors Ordinance (the "Ordinance"), codified as Sacramento City Code Chapter 3.54, prohibits City contractors from discriminating in the provision of employee benefits between employees with spouses and employees with domestic partners, and between the spouses and domestic partners of employees.

### **APPLICATION**

The provisions of the Ordinance apply to any contract or agreement (as defined below), between a Contractor and the City of Sacramento, in an amount exceeding \$25,000.00. The Ordinance applies to that portion of a contractor's operations that occur: (i) within the City of Sacramento; (ii) on real property outside the City of Sacramento if the property is owned by the City or if the City has a right to occupy the property; or (iii) at any location where a significant amount of work related to a City contract is being performed. The provisions apply only to those employee(s) actually working on the City contract and only for the actual amount of time the employee(s) spend working on such contract.

The Ordinance does not apply: to subcontractors or subcontracts of any Contractor or contractors; to transactions entered into pursuant to cooperative purchasing agreements approved by the Sacramento City Council; to legal contracts of other governmental jurisdictions or public agencies without separate competitive bidding by the City; where the requirements of the ordinance will violate or are inconsistent with the terms or conditions of a grant, subvention or agreement with a public agency or the instructions of an authorized representative of any such agency with respect to any such grant, subvention or agreement; to permits for excavation or street construction; or to agreements for the use of City right-of-way where a contracting utility has the power of eminent domain.

### **DEFINITIONS**

As set forth in the Ordinance, the following definitions apply:

"Contract" means an agreement for public works or improvements to be performed, or for goods or services to be purchased or grants to be provided, at the expense of the City or to be paid out of moneys deposited in the treasury or out of the trust money under the control or collected by the City. "Contract" also means a written agreement for the exclusive use ("exclusive use" means the right to use or occupy real property to the exclusion of others, other than the right reserved by the fee owner) or occupancy of real property for a term exceeding 29 days in any calendar year, whether by singular or cumulative instrument, (i) for the operation or use by others of real property owned or controlled by the City for the operation of a business, social, or other establishment or organization, including leases, concessions, franchises and easements, or (ii) for the City's use or occupancy of real property owned by others, including leases, concessions, franchises and easements.

## EXHIBIT 1

“Contract” shall not include: a revocable at-will use or encroachment permit for the use of or encroachment on City property regardless of the ultimate duration of such permit; excavation, street construction or street use permits; agreements for the use of City right-of-way where a contracting utility has the power of eminent domain; or agreements governing the use of City property that constitute a public forum for activities that are primarily for the purpose of espousing or advocating causes or ideas and that are generally protected by the First Amendment to the United States Constitution or that are primarily recreational in nature.

“Contractor” means any person or persons, firm partnership or corporation, company, or combination thereof, that enters into a Contract with the City. “Contractor” does not include a public entity.

“Domestic Partner” means any person who has a currently registered domestic partnership with a governmental entity pursuant to state or local law authorizing the registration.

“Employee Benefits” means bereavement leave; disability, life, and other types of insurance; family medical leave; health benefits; membership or membership discounts; moving expenses; pension and retirement benefits; vacation; travel benefits; and any other benefit given to employees. “Employee benefits” shall not include benefits to the extent that the application of the requirements of this chapter to such benefits may be preempted by federal or state.

### **CONTRACTOR’S OBLIGATION TO PROVIDE THE CITY WITH DOCUMENTATION AND INFORMATION**

Contractor shall provide the City with documentation and information verifying its compliance with the requirements of the Ordinance within ten (10) days of receipt of a request from the City. Contractors shall keep accurate payroll records, showing, for each City Contract, the employee’s name, address, Social Security number, work classification, straight time pay rate, overtime pay rate, overtime hours worked, status and exemptions, and benefits for each day and pay period that the employee works on the City Contract. Each request for payroll records shall be accompanied by an affidavit to be completed and returned by the Contractor, as stated, attesting that the information contained in the payroll records is true and correct, and that the Contractor has complied with the requirements of the Ordinance. A violation of the Ordinance or noncompliance with the requirements of the Ordinance shall constitute a breach of contract.

### **EMPLOYER COMPLIANCE CERTIFICATE AND NOTICE REQUIREMENTS**

(a) All contractors seeking a Contract subject to the Ordinance shall submit a completed Declaration of Compliance Form (attachment “A”), signed by an authorized representative, with each proposal, bid or application. The Declaration of Compliance shall be made a part of the executed contract, and will be made available for public inspection and copying during regular business hours.

(b) The Contractor shall give each existing employee working directing on a City contract, and (at the time of hire), each new employee, a copy of the notification provided as attachment “B.”

(c) Contractor shall post, in a place visible to all employees, a copy of the notice provided as attachment “C.”

**EXHIBIT 1**

Attachment A

**DECLARATION OF COMPLIANCE  
Equal Benefits Ordinance**

RIVERVIEW INTERNATIONAL TRUCKS, INC.  
Name of Contractor  
2445 EVERGREEN AVE. WEST SACRAMENTO, CA. 95691  
Address

The above named contractor ("Contractor") hereby declares and agrees as follows:

1. I have read and understand the Non-Discrimination In Employee Benefits By City Contractors Ordinance ("Ordinance") provided to me by the City of Sacramento ("City") in connection with the City's request for proposals or other solicitations for the performance of services, or for the provision of commodities, under a City contract or agreement ("Contract").
2. As a condition of receiving the City Contract, I agree to fully comply with the requirements of the Ordinance, codified as Chapter 3. 54 of the Sacramento City Code.
3. If the face amount of this City Contract is less than \$25,000, as a condition of receiving this Contract, I agree to notify the City in writing if the aggregate value of the City Contract referenced herein, after changes, modifications, or similar actions, equals or exceeds \$25,000 in total value.
4. I understand, to the extent that such benefits are not preempted or prohibited by federal or state law, employee benefits covered by the Ordinance, are any of the following:
  - a. Bereavement Leave
  - b. Disability, life, and other types of insurance
  - c. Family medical leave
  - d. Health benefits
  - e. Membership or membership discounts
  - f. Moving expenses
  - g. Pension and retirement benefits
  - h. Vacation
  - i. Travel benefits
  - j. Any other benefit offered to employees

I agree that should I offer any of the above listed employee benefits, that I will offer those benefits, without discrimination between employees with spouses and employees with domestic partners, and without discrimination between the spouses and domestic partners of such employees.

# EXHIBIT 1

## Attachment A

### DECLARATION OF COMPLIANCE Equal Benefits Ordinance

5. I understand that I will not be considered to be discriminating in the provision or application of employee benefits under the following conditions or circumstances:
- a. In the event that the actual cost of providing a benefit to a domestic partner or spouse, exceeds the cost of providing the same benefit to a spouse or domestic partner of an employee, I will not be required to provide the benefit, nor shall it be deemed discriminatory, if I require the employee to pay the monetary difference in order to provide the benefit to the domestic partner or to the spouse.
  - b. In the event I am unable to provide a certain benefit, despite taking reasonable measures to do so, if I provide the employee with a cash equivalent, I will not be deemed to be discriminating in the application of that benefit.
  - c. If I provide employee benefits neither to employee's spouses nor to employee's domestic partners.
  - d. If I provide employee benefits to employees on a basis unrelated to marital or domestic partner status.
  - e. If I submit, to the Program Coordinator, written evidence of making reasonable efforts to end discrimination in employee benefits by implementing policies which are to be enacted before the first effective date after the first open enrollment process following the date the Contract is executed with the City.  
  
I understand that any delay in the implementation of such policies may not exceed one (1) year from the date the Contract is executed with the City, and applies only to those employee benefits for which an open enrollment process is applicable.
  - f. Until administrative steps can be taken to incorporate, in the infrastructure, nondiscrimination in employee benefits  
  
The time allotted for these administrative steps will apply only to those employee benefits for which administrative steps are necessary and may not exceed three (3) months from the date the Contract is executed with the City.
  - g. Until the expiration of a current collective bargaining agreement(s) where, in fact, employee benefits are governed by a collective bargaining agreement(s).
  - h. I take all reasonable measures to end discrimination in employee benefits by either requesting the union(s) involved agree to reopen the agreement(s) in order for me to take whatever steps are necessary to end discrimination in employee benefits or by my ending discrimination in employee benefits without reopening the collective bargaining agreement(s).

# EXHIBIT 1

## Attachment A

### DECLARATION OF COMPLIANCE Equal Benefits Ordinance

- i. In the event I cannot end discrimination in employee benefits despite taking all reasonable measures to do so, I provide a cash equivalent to eligible employees for whom employee benefits (as listed previously), are not available.

Unless otherwise authorized in writing by the City Manager, I understand this cash equivalent must begin at the time the union(s) refuse to allow the collective bargaining agreement(s) to be reopened or no longer than three (3) months from the date the Contract is executed with the City.

6. I understand that failure to comply with the provisions of Section 5. (a) through 4. (i), above, will subject me to possible suspension and/or termination of this Contract for cause; repayment of any or all of the Contract amount disbursed by the City; debarment for future contracts until all penalties and restitution have been paid in full; deemed ineligible for future contracts for up to two (2) years; the imposition of a penalty, payable to the City, in the sum of \$50.00 for each employee, for each calendar day during which the employee was discriminated against in violation of the provisions of the Ordinance.
7. I understand and do hereby agree to provide each current employee and, within ten (10) days of hire, each new employee, of their rights under the Ordinance. I further agree to maintain a copy of each such letter provided, in an appropriate file for possible inspection by an authorized representative of the City. I also agree to prominently display a poster informing each employee of these rights.
8. I understand that I have the right to request an exemption to the benefit provisions of the Ordinance when such a request is submitted to the Procurement Services Division, in writing with sufficient justification for resolution, prior to contract award.

I further understand that the City may request a waiver or exemption to the provisions or requirements of the Ordinance, when only one contractor is available to enter into a contract or agreement to occupy and use City property on terms and conditions established by the City; when sole source conditions exist for goods, services, public project or improvements and related construction services; when there are no responsive bidders to the EBO requirements and the contract is for essential goods or services; when emergency conditions with public health and safety implications exist; or when the contract is for specialized legal services if in the best interest of the City.

9. In consideration of the foregoing, I shall defend, indemnify and hold harmless, the City, its officers and employees, against any claims, actions, damages, costs (including reasonable attorney fees), or other liabilities of any kind arising from any violation of the City's Equal Benefits Requirements or of the Ordinance by me.

# EXHIBIT 1

Attachment A

## DECLARATION OF COMPLIANCE Equal Benefits Ordinance

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct, and that I am authorized to bind the Contractor to the provisions of this Declaration.

*Lyle Bassett*  
Signature of Authorized Representative

9/12/07  
Date

LYLE BASSETT  
Print Name

PRESIDENT  
Title

DATE BID OPENED 9-12-07  
EMPLOYEE INITIALS J.M.  
MARK ONE BOX FOR EACH ITEM ONLY

**BID SECURITY**  
 NONE REQUIRED  
 PROPERLY SIGNED

**BID DEPOSIT TYPE**  
 BID BOND  
 CALIF. BANK CASHIER'S CHECK  
 CERTIFIED CHECK  
 CASH  
 CALIF. BANK MONEY ORDER

**AFTER AWARD OF BID**  
 SECURITY RETURNED  
 SECURITY ACCEPTED

EMPLOYEE INITIALS \_\_\_\_\_  
DATE \_\_\_\_\_

# EXHIBIT 1

## Attachment B



### **YOUR RIGHTS UNDER THE CITY OF SACRAMENTO'S NON-DISCRIMINATION IN EMPLOYEE BENEFITS BY CITY CONTRACTORS ORDINANCE**

On 9/12/07..... (date), your employer (the "Employer") entered into a contract with the City of Sacramento (the "City") for TRUCKING..... (contract details), and as a condition of that contract, agreed to abide by the requirements of the City's Non-Discrimination In Employee Benefits By City Contractors Ordinance (Sacramento City Code Section 3.54).

The Ordinance does not require the Employer to provide employee benefits. The Ordinance does require that if certain employee benefits are provided by the Employer, that those benefits be provided without discrimination between employees with spouses and employees with domestic partners, and without discrimination between the spouse or domestic partner of employees.

The Ordinance covers any employee working on the specific contract referenced above, but only for the period of time while those employees are actually working on this specific contract.

The included employee benefits are:

- Bereavement leave
- Disability, life and other types of insurance
- Family medical leave
- Health benefits
- Membership or membership discounts
- Moving expenses
- Pension and retirement benefits
- Vacation
- Travel benefits
- Any other benefits given to employees

(Employee Benefits does not include benefits that may be preempted by federal or state law.)

If you feel you have been discriminated or retaliated against by your employer in the terms and conditions of your application for employment, or in your employment, or in the application of these employee benefits, because of your status as an applicant or as an employee protected by the Ordinance, or because you reported a violation of the Ordinance, and after having exhausted all remedies with your employer,

# **EXHIBIT 1**

## **Attachment B**

### **You May . . .**

- Submit a written complaint to the City of Sacramento, Contract Services Unit, containing the details of the alleged violation. The address is:  
  
City of Sacramento  
Contract Services Unit  
915 I St., 2<sup>nd</sup> Floor  
Sacramento, CA 95814
  
- Bring an action in the appropriate division of the Superior Court of the State of California against the Employer and obtain the following Remedies:
  - Reinstatement, injunctive relief, compensatory damages and punitive damages
  
  - Reasonable attorney's fees and costs

# EXHIBIT 1

## Attachment C



### **YOUR RIGHTS UNDER THE CITY OF SACRAMENTO'S NON-DISCRIMINATION IN EMPLOYEE BENEFITS BY CITY CONTRACTORS ORDINANCE**

If your employer provides employee benefits, they must be provided to those employees working on a City of Sacramento contract without discriminating between employees with spouses and employees with domestic partners.

The included employee benefits are:

- Bereavement leave
- Disability, life and other types of insurance
- Family medical leave
- Health benefits
- Membership or membership discounts
- Moving expenses
- Pension and retirement benefits
- Vacation
- Travel benefits
- Any other benefits given to employees

If you feel you have been discriminated against by your employer . . .

#### **You May . . .**

- Submit a written complaint to the City of Sacramento, Contract Services Unit, containing the details of the alleged violation. The address is:  
  
City of Sacramento  
Contract Services Unit  
915 I St., 2<sup>nd</sup> Floor  
Sacramento, CA 95814
- Bring an action in the appropriate division of the Superior Court of the State of California against the employer and obtain reinstatement, injunctive relief, compensatory damages, punitive damages and reasonable attorney's fees and costs.

#### **Discrimination and Retaliation Prohibited.**

If you feel you have been discriminated or retaliated against by your employer in the terms and conditions of your application for employment, or in your employment, because of your status as an applicant or as an employee protected by the Ordinance, or because you reported a violation of this Ordinance . . .

#### **You May Also . . .**

Submit a written complaint to the City of Sacramento, Contract Services Unit, at the same address, containing the details of the alleged violation.

City Of Sacramento Equipment Questionnaire

Make <u>INTERNATIONAL</u>		Model <u>7400 WORKSTAR</u>		Year <u>2008</u>	
GVW <u>50,000</u>	CHASSIS Curb Weight <u>16643</u>	Wheel Base <u>254"</u>		CIA <u>186"</u>	
Engine Model: <u>MAXX-FORCE</u>		Displacement <u>570</u>		No. Cylinders <u>6</u>	
Engine Type (LEV,ULEV, etc.) <u>ULEV</u>				Gross HP <u>300</u>	
Engine Fuel <u>DIESEL</u>			CARB Certification? Yes: <input checked="" type="checkbox"/> No:		
Engine Emission Rating: <u>1.2 PM 0.001</u>			Engine Family Number <u>7NVXH0570AGB</u>		
Alt. Model <u>LEECE-NEVILLE BLP2309</u>		Output AMPS <u>160</u>		Battery CCA (ea) <u>925</u>	
				Total Batteries <u>2</u>	
Air Cleaner (Type) <u>DRY</u>			Oil Filter (Type) <u>SPIN-ON</u>		
Transmission: Type and No. of Speeds <u>ALLISON AUTOMATIC 5-SPEED</u>					
Front Axle: Rated Capacity <u>16,000</u>			Springs (Type) <u>PARABOLIC TAPER LEAF</u>		
Rear Axle: Rated Capacity <u>40,000</u>			Springs (Type) <u>HENDRICKSON HAS-402-55 AR</u>		
Rear Axle No. of Speeds <u>1</u>			Ratio <u>5.29</u>		
Wheels: Type <u>DISC</u>		Rim Width <u>9.00 x 22.5</u> <u>8.25 x 22.5</u>		Size	
Tires: Size <u>315/80R22.5</u> <u>HR22.5</u>		Ply Rating <u>20 FRT-16 REAR</u>		Type <u>RADIAL</u>	
Brakes: Type <u>AIR</u>			Booster <u>N/A</u>		
Reserve Tank and Warning System: <u>YES</u>					
Body: List size, name and capacity of attachments and other pertinent information					
<u>CHART INC - 407 7TH STREET - NEW PRAGUE, MN 56071</u>					
<u>3500SC-175-ORCA</u>					
Bidder's Firm Name: <u>RIVERVIEW INTERNATIONAL TRUCKS</u>					
By: <u>PAT SAWYER</u>					
Date: <u>9-12-07</u>					



Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE <sup>1</sup>	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS <sup>F</sup>	ECS & SPECIAL FEATURES <sup>3</sup>
2007	7NVX040578AGB	8.3	Diesel	Diesel	MHDD	DDI, TC, CAC, ECM, EGR, OC, PTOX
ENGINE (L)		ENGINE MODELS / CODES (rated power, in hp)				
8.3		GDT310 / GDT310 (310), GDT310 / GDT310 (310), GDT300 / GDT300 (300)				
.		.				
.		.				
.		.				

<sup>1</sup> -not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 88.abc=Title 40, Code of Federal Regulations, Section 88.abc; <sup>2</sup> -liter; hp=horsepower; lvs=liters;  
<sup>3</sup> CNG/LMD=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;  
<sup>F</sup> LMBH HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;  
ECS=emission control system; TWCOC=three-way/oxidizing catalyst; WU (prefix)=warm-up catalyst; DPF=diesel particulate filter; PTOX=periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; HAP/APS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; BFMF=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; ID/IDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 1 (prefix)=parallel; 2 (suffix)=in series (2006DEC22)

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [ ] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	NMHC		NOx		NMHC+NOx		CO		PM		HCHO	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	0.14	0.14	.	.	.	.	15.5	15.5	0.01	0.01	.	.
FEL	.	.	1.70	1.70	1.7	1.7	.	.	.	.	.	.
CERT	0.001	0.001	1.00	1.17	1.0	1.2	0.0	0.00	0.001	0.001	.	.
NTE	0.10		2.12		2.1		10.4		0.02		.	

<sup>1</sup> g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC=non-methane hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

**BE IT FURTHER RESOLVED:** Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

**BE IT FURTHER RESOLVED:** The listed engine models have been certified to the split engine family standards under 13 CCR 1956.8(b) [diesel engines] or 13 CCR 1956.8(d) [Otto engines] and the incorporated 40CFR 86.007-15(m)(9).

**BE IT FURTHER RESOLVED:** For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 28 day of February 2007.


Annette Hebert, Chief  
Mobile Source Operations Division

**Prepared For:**  
CITY OF SACRAMENTO  
BILL TIERCE  
5730 24th. Street Bldg.  
Sacramento, CA 95822-  
(916)433 - 2027  
Reference ID: w/reinforcement



**Presented By:**  
RIVERVIEW INTL TRKS, INC  
Pat Sawyer  
2445 EVERGREEN AVENUE  
WEST SACRAMENTO CA 95691  
(916)371-3110

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.




**Model Profile**

**2008 Diamond SPEC™ 7400 SBA 6X4 (SF625)**

**APPLICATION:** Water Tank  
**MISSION:** Requested GVWR: 54000. Calc. GVWR: 56000  
 Calc. Start / Grade Ability: 19.10% / 1.62% @ 55 MPH  
 Calc. Geared Speed: 67.3 MPH

**DIMENSION:** Wheelbase: 254.0, CA: 186.9, Axle to Frame: 140.0  
**ENGINE, DIESEL:** {International MaxxForce 9} 50 State, 300 HP, 800 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, # 2 Bell Housing  
**TRANSMISSION, AUTOMATIC:** {ALLISON 3000\_RDS\_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.  
**CLUTCH:** Omit Item (Clutch & Control)  
**AXLE, FRONT NON-DRIVING:** {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity  
**AXLE, REAR, TANDEM:** {Dana Spicer DS405P/RS405} Single Reduction 40,000-lb Capacity; With Lube Oil Pump and 200 Wheel Ends Gear Ratio: 5.29  
**CAB:** Conventional  
**TIRE, FRONT:** (3) 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply  
**TIRE, REAR:** (8) 11R22.5 HSC (CONTINENTAL) 494 rev/mile, load range H, 16 ply  
**SUSPENSION, REAR, AIR, TANDEM:** {Hendrickson HAS-402-55} 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard  
**FRAME REINFORCEMENT:** Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL  
**PAINT:** Cab Schematic 100GN  
 Location 1: 9219, Winter White (Std)  
 Chassis Schematic 932GN  
 Wheel: 0001, Canyon Black (Std)



Series: 7000  
 Model: SF625  
 Description: 7400 SBA 6X4  
 Model Year: 2008

**Calculation Factors**

Wheelbase: 254  
 Front Axle: 0002AEU  
 Description: AXLE, FRONT NON-DRIVING, {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity  
 Front Wheel: 0027DMW  
 Description: WHEELS, FRONT, DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs.  
 Front Tire: 07792545403  
 Description: TIRES, 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply  
 Steering Gear: 0005PTB  
 Description: STEERING GEAR, (2) {Sheppard M-100/M-80} Dual Power

**Turning Radius Statistics**

General Information


Inside Turn Angle: 43 Degrees  
 Radial Overhang: 26

Axle Information

KingPin Inclination: 5.875 Degrees  
 KingPin Center: 71.5

**Turning Radius - Curb View**

C - Curb Contact Length: 16.08  
 CI - Curb Clearance Increment: 6.58  
 CR - Curb Clearance Radius: 37'11"  
 CH - Curb Height: 6"  
 TR - Turning Radius: 37'4"  
 TW - Tire Width: 12.60



\* All Measurements are in inches, unless otherwise specified.

This information is based on engineering information available at this time. Actual figures may vary. International Truck and Engine Corporation cannot accept liability for consequences due to this variance.

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
SF62500	Base Chassis, Model 7400 SBA 6X4 with 254.0 Wheelbase, 186.9 CA, and 140.0 Axle to Frame.	7118/6456	13574
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	8/0	8
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	72/650	722
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL	411/952	1363
1LLA	BUMPER, FRONT Steel, Swept Back	0/0	0
	<u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color		
1SAL	CROSSMEMBER, REAR, AF (01)	-2/42	40
1WGY	WHEELBASE RANGE 221" (560cm) Through and Including 262" (665cm)	0/0	0
2AEU	AXLE, FRONT NON-DRIVING {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity	120/0	120
3ADE	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 16,000-lb Capacity; With Shock Absorbers	87/0	87
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free		
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE International Engines, Naturally-Aspirated : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE		
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Chambers	-62/0	-62
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	0/0	0
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0
4EBS	AIR DRYER {Bendix AD-9} With Heater	24/3	27
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake	0/0	0
	<u>Includes</u> : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions, Located on Rear Rear Axle		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
4SBD	AIR COMPRESSOR {Bendix Tu-Flo 750} 16.5 CFM	0/0	0
5AAA	STEERING COLUMN Stationary	0/0	0
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power	50/0	50
7BDT	EXHAUST SYSTEM Single, Vertical, Aftertreatment Device Frame Mounted Left Side, Includes Vertical Tail Pipe & Guard	0/0	0
	<u>Includes</u> : MUFFLER/TAIL PIPE GUARD Non-Bright Finish		
7WBU	EXHAUST HEIGHT 11' 6" Height	2/0	2
7WZY	SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, ON/OFF Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in ON Position	2/0	2
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab : BATTERY BOX Steel; Mounted Left Side, Under Cab : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Switch : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Switch : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered		
8518	CIGAR LIGHTER	1/0	1
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1
8GDX	ALTERNATOR {Leece-Neville BLP2309} Brushless, 12 Volt 160 Amp. Capacity, Pad Mounted	10/0	10
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	5/1	6
8RGS	RADIO {International} AM/FM Stereo With Weatherband, Clock, Includes Multiple Dual Cone Speakers	6/0	6
	<u>Includes</u>		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior		
8TKB	STOP, TURN, TAIL & B/U LIGHTS (Truck Lite) Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box	0/5	5
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail	0/0	0
8WHX	BATTERY DISCONNECT SWITCH {Pollack 51-316} Locking, Key Operated, Positive Type, Mounted on Battery Box	1/0	1
8WLN	FOG LIGHTS (2) {Peterson} Clear, Halogen, Rectangular	5/0	5
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	1/0	1
8WRB	HEADLIGHTS ON WWPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0
9585	FENDER EXTENSIONS Rubber	6/0	6
9HBM	GRILLE Stationary, Chrome	5/0	5
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"	0/0	0
10441	HUBODOMETER {Stemco} English Reading (Miles) Mounted Rear Wheels Left Side	0/1	1
10632	PAINT IDENTITY, PT-2 Single Color, Instruction No. 932. Wheels	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	-60/-15	-75
12NTC	ENGINE, DIESEL {International MaxxForce 9} 50 State, 300 HP, 800 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FAN Optimized Position : FUEL/WATER SEPARATOR and FUEL FILTER in a Single Assembly; With Water-in-Fuel Sensor; Mounted on Engine : GOVERNOR Road Speed, Electronic : OIL FILTER, ENGINE Spin-On Type	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
12THT	FAN DRIVE {Horton Drivemaster} "Two Speed" Direct Drive, With Residual Torque Device for Disengaged Fan Speed  <u>Includes</u> : FAN Nylon	-21/0	-21
12UWZ	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core With Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler  <u>Includes</u> : DEAERATION SYSTEM with Surge Tank	0/0	0
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	0/0	0
12VBB	AIR CLEANER Dual Element  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	8/0	8
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0
12VYW	FEDERAL EMISSIONS 2007 for International MaxxFace 9 & 10 Engines (DT570 & HT570)	0/0	0
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for International post 2007 Emissions Electronic Engines	0/0	0
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	0/0	0
13ALZ	TRANSMISSION, AUTOMATIC {ALLISON 3000_RDS_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.  <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	0/0	0
13WBL	TRANSMISSION SHIFT CONTROL {ALLISON} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0
13WLD	TRANSMISSION OIL {Castrol TranSynd} Synthetic; 29 thru 42 Pints	0/0	0
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0
14GER	AXLE, REAR, TANDEM {Dana Spicer DS405P/RS405} Single Reduction 40,000-lb Capacity; With Lube Oil Pump and 200 Wheel Ends  <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	0/106	106
14ULU	SUSPENSION, REAR, AIR, TANDEM {Hendrickson HAS-402-55} 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard	0/-199	-199
15SEN	FUEL TANK Top Draw; D Style, Steel, 19" Deep, 70 U.S. Gal., 265 L Capacity, With Quick Connect Outlet, Mounted Right Side, Under Cab	21/4	25

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
16030	CAB Conventional  <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK Located on Rear Wall, Centered Above Rear Window : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door	0/0	0
16HBA	GAUGE CLUSTER English With English Electronic Speedometer  <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	0/0	0
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	31/8	39
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	0/0	0
16SDC	GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left and Right	6/0	6
16SDH	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} Right Side; 7.44" Sq.	6/0	6
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Sides, With All Heated Heads, Thermostatically Controlled	0/0	0
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster  <u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	60/0	60
16WKY	FRESH AIR FILTER for HVAC	4/0	4

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	1/0	1
16WRX	CAB INTERIOR TRIM Deluxe  <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat the Back Panel is Only Partially Covered and with a Full Bench Seat the Back Panel is : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket : DOME LIGHT, CAB Rectangular, Door Activated, Timed Theater Dimming, Center Mounted, Integral to Console : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
26DRE	WHEEL, SPARE, DISC 22.5" Painted Steel, 10 Stud (285.75MM BC Hub Piloted) 9.00 DC Rim	50/61	111
27DMW	WHEELS, FRONT DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs.  <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	123/0	123
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs  <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	0/0	0
29007	TIRE, SPARE Equal to Model Standard  <u>Includes</u> : PLEASE NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	45/46	91
7382135408	(8) TIRE, REAR 11R22.5 HSC (CONTINENTAL) 494 rev/mile, load range H, 16 ply	0/72	72
7792545403	(3) TIRE, FRONT 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply	99/0	99
<b>Services Section:</b>			
40AMJ	WRTY, LTD, BASIC VEHICLE DSPEC {Diamond SPEC} To 12-Month/Unlimited Mileage; Includes Diamond Emergency Breakdown Service, With 90-Day Towing	0/0	0
<b>Total Component Weight:</b>		<b>8250/8193</b>	<b>16443</b>

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
1	FURNISH & INSTALL A CHART HL-3500SC-175-ORCA LNG TANK. PRICE INCLUDES ONE-WEEK ON-SITE TRAINING. BUILT AS PER CITY OF SACRAMENTO SPECIFICATION.	0/0	0
	<b>Total Body Allied:</b>	<b>0/0</b>	<b>0</b>
	FURNISH AN ADDITIONAL REAR TIRE & WHEEL	0/0	0
	PROVIDE FIRE EXT. & REFLECTOR KIT AS PER SPECIFICATIONS.	0/0	0
	PROVIDE FOR ALL AIR TANKS TO BE COLLECTED AT CENTRAL LOCATION FOR DRAINING.	0/0	0
	ADD NEGATIVE PLUG FOR JUMP START STUD	0/0	0
	F & I SHORT STACK FOR EXHAUST AS PER SPECIFICATION.	0/0	0
	FUEL TO DELIVER TO SACRAMENTO CORP. YARD	0/0	0
	ESTIMATED FREIGHT FROM NEW PRAGUE, MN TO SACRAMENTO, CALIFORNIA.	0/0	0
	PROVIDE 3 OPERATORS MANUALS AS PER SPECIFICATION REQUEST	0/0	0
	FURNISH 2 COMPLETE REPAIR MANUALS (CD) EITHER WINDOWS OR MAC PLATFORM AT CITY REQUEST.	0/0	0
	PROVIDE 2 PARTS MANUALS (CD)	0/0	0
	ALLISON TRANSMISSION 5 YEAR UNLIMITED MILEAGE WARRANTY.	0/0	0
	<b>Total Goods Purchased:</b>	<b>0/0</b>	<b>0</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. International Truck and Engine Corp. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

**INTERNATIONAL®**

**Body Allied/Equipment  
2008 7400 SBA 6X4 (SF625)**

**September 12, 2007**

**(USA DOLLAR)**

**Description**

**Price**

**FURNISH & INSTALL A CHART HL-3500SC-175-ORCA LNG TANK. PRICE INCLUDES ONE-WEEK ON-SITE TRAINING. BUILT AS PER CITY OF SACRAMENTO SPECIFICATION.**

**\$326,030.00**

**Total Body Allied/Equipment: \$326,030.00**

**INTERNATIONAL®**

Warranty  
2008 7400 SBA 6X4 (SF625)

September 12, 2007

(USA DOLLAR)

Description

Price

PROVIDE A 60 MONTH/100,000 MILE EXTENDED ENGINE WARRANTY INCLUDING  
INJECTORS WITH NO DEDUCTABLE

1712.00

Total Warranty : \$1,712.00

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$93,274.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$93,274.00
Total Goods Purchased:		\$7,009.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$101,788.00
Less Customer Allowance:		(\$23,491.89)
Total Vehicle Price:		\$78,296.11
Total Body/Allied Equipment:		\$326,030.00
Total Warranty:		\$1,712.00
Total Sale Price:		\$406,038.11
Total Per Vehicle Sales Price:		\$406,038.11
Total Net Sales Excluding Taxes:		\$406,038.11
SACRAMENTO COUNTY SALES TAX	\$31,335.27	
Total Taxes:		\$31,335.27
Net Sales Price:		\$437,373.38

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

SALES REP. 9-12-07  
Official Title and Date

\_\_\_\_\_  
Firm or Business Name

TAT SAWYER  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date

Shipping Terms: Prepaid

FOB Point: New Prague, MN

Delivery Point:

Cancellation: See Attached Policy

Line #	Part Number	Price	Quantity	Extended
1	CUSTOM	\$313,000.00	1	\$313,000.00
SPECIAL HL-3500SC-175-ORCA, Truck Mounted. General Vessel: Length 23.5'7.1 Mete. Width: 6.7'2.04 Meter. Height: 7.21'2.2 Meter. Weight: 14,181 LBS/6,432 Kg +/- 3%. Inner Vessel: Gross water capacity: 3,450 US Gallons/13,059 Liters. Materials: SA-240 Grade 304 Stainless Steel. Design MAWP: 175 PSIG/12.6 Bar. Code: ASME Sect.VIII, Div.1, CGA-341, NFPA 59A, DOT MC-338. Baffles: 1 Transverse. X-Ray: RT-2. Piping (Annualr): Schedule 5 Stainless Steel. PTO Driven Alternator. Air Compressor. JC Carter Fueling Nozzle. 12' Transfer Hose. ORCA Control System. ***INSTALLATION on customer supplied truck chassis.*** NOTE: Estimated Deliver Date: (16) weeks material leadtime, (9) weeks vessel production, (3) weeks installation, equals (28) weeks for production.				
2	12773043	\$8,030.00	1	\$8,030.00
SURCHARGE - ORCA				
3	CUSTOM	\$37,560.00	1	\$37,560.00
CHART Part #10460836 - F.E.T.				
4	CUSTOM	\$5,000.00	1	\$5,000.00
CHART #11710227 - ONE WEEK ON-SITE TRAINING				
Prices Quoted In USD			<b>Subtotal:</b>	\$363,590.00
			<b>Freight:</b>	\$0.00
			<b>Insurance:</b>	\$0.00
			<b>Total:</b>	\$363,590.00

**Warranty:** Subject to CHART'S Standard Terms & Conditions - See Attached.

**Comments:** NOTE: Leadtime is stated above\*\*\*\*\*

**Payment Terms:** NET 30

**Payment Comments:** Prices DO NOT Include Freight or Taxes.

***This quote is subject to attached Terms and Conditions.***

OPTION BID

BID NO. B081181010

PRICING SCHEDULE

For furnishing to the City of Sacramento, one new, unused, latest model year, Liquefied Natural Gas (LNG) fuel delivery truck in accordance with the provisions and specifications contained herein. Bids must be submitted in U.S. dollars.

<u>Item No</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
1	1	LNG Delivery Truck	\$ _____	\$ <u>403,420.56</u>

INTERNATIONAL 7400 WORKSTAR  
Proposed Manufacturer and Model for Chassis

CHART HL-3500SC-175-ORCA  
Proposed Manufacturer and Model  
for truck mounted LNG Delivery System

7.75% sales tax \$ 31,132.41  
CA Tire Tax \$ 17.50  
  
**Bid Total** \$ 434,562.97

# OPTION BID

BID NO. B081181010

## City Of Sacramento Equipment Questionnaire

Make	INTERNATIONAL	Model	7400 WORKSTAR	Year	2008
GVW	54,000	CHASSIS Curb Weight	15562	Wheel Base	254
Engine Model:	MAXX-FORCE 9	Displacement	570	No. Cylinders	6
Engine Type (LEV, ULEV, etc.)	ULEV			Gross HP	
Engine Fuel	DIESEL		CARB Certification? Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>		
Engine Emission Rating: Nox	1.2		PM	0.001	
Engine Family Number	TNVXH0570AGB				
Alt. Model	LEECE-NEVILLE BLP2309	Output AMPS	160	Battery CCA (ea)	925
Total Batteries	2				
Air Cleaner (Type)	DRY		Oil Filter (Type) SPIN-ON		
Transmission: Type and No. of Speeds	ALLISON AUTOMATIC -5-SPEED				
Front Axle: Rated Capacity	14,000		Springs (Type) PARABOLIC TAPER LEAF		
Rear Axle: Rated Capacity	40,000		Springs (Type) INTERNATIONAL AIR RIDE		
Rear Axle No. of Speeds	1		Ratio 5.29		
Wheels: Type	DISC		Rim Width	9.00 - 8.25	
Size	22.5				
Tires: Size	315/80R22.5		Ply Rating	20 FET-16-REAR	
Type	RADIAL				
Brakes: Type	AIR		Booster N/A		
Reserve Tank and Warning System:	YES				
Body: List size, name and capacity of attachments and other pertinent information	CHART INC - 407 7TH STREET - NEW PRAGUE, MN 56071				
	35005C-175-ORCA				
Bidder's Firm Name:	RIVERVIEW INTERNATIONAL TRUCKS				
By:	FAT SAWYER				
Date:	9-12-07				

In order to identify those bids that are subject to the City's local sales or use tax, all bidders shall respond to the following:

1) Does the bidder have fixed offices or locally taxable distribution points within the boundaries of the City of Sacramento? \_\_\_ Yes; or  No

2) If the answer to Question #1 is "Yes":

a) Provide the address of the bidder's fixed offices or locally taxable distribution point(s):

\_\_\_\_\_  
\_\_\_\_\_

b) Provide the bidder's current, valid City of Sacramento Business Operations Tax Certificate Number:

\_\_\_\_\_

**3. DELIVERY GUARANTEE**

Contractor guarantees delivery within 230 days after receipt of order (ARO).

**4. PAYMENT DISCOUNT**

Will you offer a prompt payment discount? Yes  or No [ ] (Net 30 days) discount per unit

If Yes, the Payment Discount is 500<sup>00</sup> for payment within 30 calendar days, which will be computed from the date delivery, is made and is accepted by the City, or the date a proper invoice is received, whichever is later.

PAYMENT DISCOUNTS SHALL BE CONSIDERED IN AWARDING THE CONTRACT AS SET FORTH IN THE "BID INSTRUCTIONS AND REQUIREMENTS", PARAGRAPH 11 (ENTITLED "PAYMENT DISCOUNTS").

**5. MANUFACTURERS SPECIFICATION**

Page 23, Items (a) and (c)

**6. NEAREST FACTORY AUTHORIZED SERVICE CENTER**

Page 25, Warranty, Item (e). Bidders must list the nearest factory authorized service center responsible for warranty and other repairs:

**7. AXLES**

Page 29, Section 3.8(b), Meritor RT40-145P rear axle or proposed equal: DANA SPICER DS405/RS405

**8. WHEELS AND TIRES**

Page 31, Section 3.18 (c and d), Goodyear Unisteel G-159 or proposed equal: C-315/80R22.5 HSC (CONTINENTAL)  
D-11R22.5 HSC (CONTINENTAL)

**9. BRAKES**

Page 31, Section 3.19(d), Meritor "Q+" front brakes or proposed equal: AS PER SPEC

Page 31, Section 3.19(e), Meritor "Q+" rear brakes or proposed equal: AS PER SPEC

Page 31, Section 3.19(i), Bendix AD-IS, AD-IP or AD-9 air dryer or proposed equal: AD-9 BENDIX

**10. LIGHTS**

Page 32, Section 3.20(c), Item 1, Trucklite lighting equipment or proposed equal: AS PER SPEC

**11. SEAT**

Page 32, Section 3.23, Bostrom seat with Cordua Plus covering or proposed equal: NATIONAL 2000

**12. MISCELLANEOUS EQUIPMENT**

Page 33, Section 3.25(c), Grote #71422 triangle flare kit or proposed equal: FLEETRITE-TRIKIT3

Page 33, Section 3.25(e), Grote #28041 convex mirror or proposed equal: LANG MEKRA

Page 34, Section 3.25(t), Flaming River lockable battery shut-off switcher or proposed equal:

POLLACK 51-316 KEY OPERATED-MOUNTED ON BATTERY BOX

**13. PAINT FINISH**

Page 34, Section 3.26(a), Martin Senour #42075 or proposed equal: SIKKENS-BASE COAT/CLEAR COAT

**14. MISCELLANEOUS BODY EQUIPMENT**

Page 36, Section 4.8(b), Grote #64931 sealed beam work lights or proposed equal: AS PER SPEC'S

**15. QUESTIONNAIRE**

Page 37, Complete a separate questionnaire for each chassis proposed.

**16. EQUAL BENEFITS ORDINANCE**

See Exhibit 1


**Prepared For:**  
CITY OF SACRAMENTO  
BILL TIERCE  
5730 24th. Street Bldg.  
Sacramento, CA 95822-  
(916)433 - 2027  
Reference ID: NO REINFORCEMEN



**Diamond SPEC™**

**Presented By:**  
RIVERVIEW INTL TRKS, INC  
Pat Sawyer  
2445 EVERGREEN AVENUE  
WEST SACRAMENTO CA 95691  
(916)371-3110

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.




*OPTION BID*

**Model Profile**

**2008 Diamond SPEC™ 7400 SBA 6X4 (SF625)**

<b>APPLICATION:</b>	Water Tank
<b>MISSION:</b>	Requested GVWR: 54000. Calc. GVWR: 54000 Calc. Start / Grade Ability: 19.10% / 1.62% @ 55 MPH Calc. Geared Speed: 67.3 MPH
<b>DIMENSION:</b>	Wheelbase: 254.0, CA: 186.9, Axle to Frame: 140.0
<b>ENGINE, DIESEL:</b>	{International MaxxForce 9} 50 State, 300 HP, 800 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, # 2 Bell Housing
<b>TRANSMISSION, AUTOMATIC:</b>	{ALLISON 3000_RDS_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Dana Spicer I-140W} Wide Track, I-Beam Type, 14,000-lb Capacity
<b>AXLE, REAR, TANDEM:</b>	{Dana Spicer DS405P/RS405} Single Reduction 40,000-lb Capacity; With Lube Oil Pump and 200 Wheel Ends Gear Ratio: 5.29
<b>CAB:</b>	Conventional
<b>TIRE, FRONT:</b>	(3) 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply
<b>TIRE, REAR:</b>	(8) 11R22.5 HSC (CONTINENTAL) 494 rev/mile, load range H, 16 ply
<b>SUSPENSION, REAR, AIR, TANDEM:</b>	{International} Ride Optimized Suspension (IROS) Heavy Duty; 55" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners
<b>PAINT:</b>	Cab Schematic 100GN Location 1: 9219, Winter White (Std) Chassis Schematic 932GN Wheel: 0001, Canyon Black (Std)



Series: 7000  
 Model: SF625  
 Description: 7400 SBA 6X4  
 Model Year: 2008

**Calculation Factors**

Wheelbase: 254  
 Front Axle: 0002AET  
 Description: AXLE, FRONT NON-DRIVING, {Dana Spicer I-140W} Wide Track, I-Beam Type, 14,000-lb Capacity  
 Front Wheel: 0027DPL  
 Description: WHEELS, FRONT, DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With .500" Thick Disc, Non-Standard Offset and Steel Hubs  
 Front Tire: 07792545403  
 Description: TIRES, 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply  
 Steering Gear: 0005PSA  
 Description: STEERING GEAR, {Sheppard M-100} Power

**Turning Radius Statistics**

General Information


Inside Turn Angle: 45 Degrees  
 Radial Overhang: 26

Axle Information

KingPin Inclination: 7.375 Degrees  
 KingPin Center: 71.5

**Turning Radius - Curb View**

C - Curb Contact Length: 16.08  
 CI - Curb Clearance Increment: 6.60  
 CR - Curb Clearance Radius: 36'3"  
 CH - Curb Height: 6"  
 TR - Turning Radius: 35'9"  
 TW - Tire Width: 12.60



\* All Measurements are in inches, unless otherwise specified.

This information is based on engineering information available at this time. Actual figures may vary. International Truck and Engine Corporation cannot accept liability for consequences due to this variance.

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
SF62500	Base Chassis, Model 7400 SBA 6X4 with 254.0 Wheelbase, 186.9 CA, and 140.0 Axle to Frame.	7118/6456	13574
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	8/0	8
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	238/1035	1273
1LLA	BUMPER, FRONT Steel, Swept Back	0/0	0
	<u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color		
1SAL	CROSSMEMBER, REAR, AF (01)	-2/42	40
1WGY	WHEELBASE RANGE 221" (560cm) Through and Including 262" (665cm)	0/0	0
2AET	AXLE, FRONT NON-DRIVING {Dana Spicer I-140W} Wide Track, I-Beam Type, 14,000-lb Capacity	92/0	92
	<u>Includes</u> : PLEASE NOTE: Front Axle Derated to 13,200-lb. GAWR when used in Conjunction with Code 04JBG BRAKES, FRONT, AIR CAM		
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 14,000-lb Capacity; With Shock Absorbers	28/0	28
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free		
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE International Engines, Naturally-Aspirated : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE		
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	0/0	0
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0
4EBS	AIR DRYER {Bendix AD-9} With Heater	24/3	27
4JBL	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers	0/0	0
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake	0/0	0
	<u>Includes</u>		

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
	: BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions, Located on Rear Rear Axle		
4SBD	AIR COMPRESSOR {Bendix Tu-Flo 750} 16.5 CFM	0/0	0
5AAA	STEERING COLUMN Stationary	0/0	0
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0
5PSA	STEERING GEAR {Sheppard M-100} Power	0/0	0
7BDT	EXHAUST SYSTEM Single, Vertical, Aftertreatment Device Frame Mounted Left Side, Includes Vertical Tail Pipe & Guard	0/0	0
	<u>Includes</u>		
	: MUFFLER/TAIL PIPE GUARD Non-Bright Finish		
7WBU	EXHAUST HEIGHT 11' 6" Height	2/0	2
7WZY	SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, ON/OFF Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in ON Position	2/0	2
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u>		
	: BATTERY BOX Steel with Fiberglass Cover, Mounted Right Side, Back of Cab		
	: BATTERY BOX Steel; Mounted Left Side, Under Cab		
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab		
	: FUSES, ELECTRICAL SAE Blade-Type		
	: HAZARD SWITCH Located on Top of Steering Column Cover		
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Switch		
	: HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels		
	: HORN, ELECTRIC Single		
	: JUMP START STUD Located on Positive Terminal of Outermost Battery		
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		
	: RUNNING LIGHT (2) Daytime, Included With Headlights		
	: STARTER SWITCH Electric, Key Operated		
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector		
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature		
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted		
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Switch		
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted		
	: WIRING, CHASSIS Color Coded and Continuously Numbered		
8518	CIGAR LIGHTER	1/0	1
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1
8GDX	ALTERNATOR {Leece-Neville BLP2309} Brushless, 12 Volt 160 Amp. Capacity, Pad Mounted	10/0	10
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	5/1	6

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
8RGS	RADIO {International} AM/FM Stereo With Weatherband, Clock, Includes Multiple Dual Cone Speakers  <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	6/0	6
8TKB	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box	0/5	5
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail	0/0	0
8WHX	BATTERY DISCONNECT SWITCH {Pollack 51-316} Locking, Key Operated, Positive Type, Mounted on Battery Box	1/0	1
8WLN	FOG LIGHTS (2) {Peterson} Clear, Halogen, Rectangular	5/0	5
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	1/0	1
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0
9585	FENDER EXTENSIONS Rubber	6/0	6
9HBM	GRILLE Stationary, Chrome	5/0	5
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100  <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"	0/0	0
10441	HUBODOMETER {Stemco} English Reading (Miles) Mounted Rear Wheels Left Side	0/1	1
10632	PAINT IDENTITY, PT-2 Single Color, Instruction No. 932. Wheels	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	-60/-15	-75
12NTC	ENGINE, DIESEL {International MaxxForce 9} 50 State, 300 HP, 800 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, # 2 Bell Housing  <u>Includes</u> : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FAN Optimized Position	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
	: FUEL/WATER SEPARATOR and FUEL FILTER in a Single Assembly; With Water-in-Fuel Sensor; Mounted on Engine : GOVERNOR Road Speed, Electronic : OIL FILTER, ENGINE Spin-On Type		
12THT	FAN DRIVE {Horton Drivemaster} "Two Speed" Direct Drive, With Residual Torque Device for Disengaged Fan Speed  <u>Includes</u> : FAN Nylon	-21/0	-21
12UWZ	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core With Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler  <u>Includes</u> : DEAERATION SYSTEM with Surge Tank	0/0	0
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	0/0	0
12VBB	AIR CLEANER Dual Element  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	8/0	8
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0
12VYW	FEDERAL EMISSIONS 2007 for International MaxxFORCE 9 & 10 Engines (DT570 & HT570)	0/0	0
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for International post 2007 Emissions Electronic Engines	0/0	0
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	0/0	0
13ALZ	TRANSMISSION, AUTOMATIC {ALLISON 3000_RDS_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.  <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	0/0	0
13WBL	TRANSMISSION SHIFT CONTROL {ALLISON} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0
13WLD	TRANSMISSION OIL {Castrol TranSynd} Synthetic; 29 thru 42 Pints	0/0	0
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0
14GER	AXLE, REAR, TANDEM {Dana Spicer DS405P/RS405} Single Reduction 40,000-lb Capacity; With Lube Oil Pump and 200 Wheel Ends  <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	0/106	106

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
14UNT	SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS) Heavy Duty; 55" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners	0/-492	-492
15SEN	FUEL TANK Top Draw; D Style, Steel, 19" Deep, 70 U.S. Gal., 265 L Capacity, With Quick Connect Outlet, Mounted Right Side, Under Cab	21/4	25
16030	CAB Conventional  <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK Located on Rear Wall, Centered Above Rear Window : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door	0/0	0
16HBA	GAUGE CLUSTER English With English Electronic Speedometer  <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	0/0	0
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	31/8	39
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	0/0	0
16SDC	GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left and Right	6/0	6
16SDH	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} Right Side; 7.44" Sq.	6/0	6
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Sides, With All Heated Heads, Thermostatically Controlled	0/0	0
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster  <u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	60/0	60
16WKY	FRESH AIR FILTER for HVAC	4/0	4
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	1/0	1
16WRX	CAB INTERIOR TRIM Deluxe  <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat the Back Panel is Only Partially Covered and with a Full Bench Seat the Back Panel is : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket : DOME LIGHT, CAB Rectangular, Door Activated, Timed Theater Dimming, Center Mounted, Integral to Console : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
26DRE	WHEEL, SPARE, DISC 22.5" Painted Steel, 10 Stud (285.75MM BC Hub Piloted) 9.00 DC Rim	50/61	111
27DPL	WHEELS, FRONT DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With .500" Thick Disc, Non-Standard Offset and Steel Hubs  <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	122/0	122
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs  <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	0/0	0
29007	TIRE, SPARE Equal to Model Standard  <u>Includes</u> : PLEASE NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/ Wheel Code Must be Specified.	45/46	91
7382135408	(8) TIRE, REAR 11R22.5 HSC (CONTINENTAL) 494 rev/mile, load range H, 16 ply	0/72	72

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lb)	<u>Tot Wt</u> (lb)
7792545403	(3) TIRE,FRONT 315/80R22.5 HSU (CONTINENTAL) 483 rev/mile, load range L, 20 ply	99/0	99
<b>Services Section:</b>			
40AMJ	WRTY,LTD, BASIC VEHICLE DSPEC {Diamond SPEC} To 12-Month/Unlimited Mileage; Includes Diamond Emergency Breakdown Service, With 90-Day Towing	0/0	0
<b>Total Component Weight:</b>		<b>7929/7333</b>	<b>15262</b>
1	FURNISH & INSTALL A CHART HL-3500SC-175-ORCA LNG TANK. PRICE INCLUDES ONE-WEEK ON-SITE TRAINING. BUILT AS PER CITY OF SACRAMENTO SPECIFICATION.	0/0	0
<b>Total Body Allied:</b>		<b>0/0</b>	<b>0</b>
	FURNISH AN ADDITIONAL REAR TIRE & WHEEL	0/0	0
	PROVIDE FIRE EXT. & REFLECTOR KIT AS PER SPECIFICATIONS.	0/0	0
	PROVIDE FOR ALL AIR TANKS TO BE COLLECTED AT CENTRAL LOCATION FOR DRAINING.	0/0	0
	ADD NEGATIVE PLUG FOR JUMP START STUD	0/0	0
	F & I SHORT STACK FFOR EXHAUST AS PER SPECIFICATION.	0/0	0
	FUEL TO DELIVER TO SACRAMENTO CORP. YARD	0/0	0
	ESTIMATED FREIGHT FROM NEW PRAGUE, MN TO SACRAMENTO, CALIFORNIA.	0/0	0
	FURNISH 3 OPERATORS MANUALS AS PER SPECIFICATION	0/0	0
	PROVIDE 2 COMPLETE REPAIR MANUALS (CD) EITHER WINDOWS OR MAC PLATFFORM AT CITY REQUEST	0/0	0
	PROVIDE 2 PARTS MANUALS (CD)	0/0	0
	ALLISON AUTOMATIC 5 YEAR UNLIMITED MILEAGE WARRANTY.	0/0	0
<b>Total Goods Purchased:</b>		<b>0/0</b>	<b>0</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. International Truck and Engine Corp. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

**INTERNATIONAL®**

**Body Allied/Equipment  
2008 7400 SBA 6X4 (SF625)**

**September 12, 2007**

**(USA DOLLAR)**

**Description**

**Price**

FURNISH & INSTALL A CHART HL-3500SC-175-ORCA LNG TANK. PRICE INCLUDES ONE-WEEK ON-SITE TRAINING. BUILT AS PER CITY OF SACRAMENTO SPECIFICATION.

**\$326,030.00**

**Total Body Allied/Equipment: \$326,030.00**

**INTERNATIONAL®**

Warranty  
2008 7400 SBA 6X4 (SF625)

September 12, 2007

(USA DOLLAR)

Description

Price

PROVIDE A 60 MONTH/100,000 MILE EXTENDED ENGINE WARRANTY INCLUDING INJECTORS WITH NO DEDUCTABLE.

1712.00

Total Warranty : \$1,712.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$89,491.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$89,491.00
Total Goods Purchased:		\$7,009.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$98,005.00
Less Customer Allowance:		(\$22,326.44)
Total Vehicle Price:		\$75,678.56
Total Body/Allied Equipment:		\$326,030.00
Total Warranty:		\$1,712.00
Total Sale Price:		\$403,420.56
Total Per Vehicle Sales Price:		\$403,420.56
Total Net Sales Excluding Taxes:		\$403,420.56
SACRAMENTO COUNTY SALES TAX	\$31,132.41	
Total Taxes:		\$31,132.41
Net Sales Price:		\$434,552.97

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller

*SALES REP 9-12-07*  
\_\_\_\_\_

Official Title and Date

*PAT SAWYER*  
\_\_\_\_\_

Authorized Signature

Accepted by Purchaser:

\_\_\_\_\_

Firm or Business Name

\_\_\_\_\_

Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_

Official Title and Date